



DRIVEWAY CONNECTIONS ACROSS LLANO COUNTY MUNICIPAL UTILITY DISTRICT #1 RIGHT OF WAY TO AN EXISTING STREET

The requirements for connecting a driveway to an existing street are shown below. Only asphalt or reinforced concrete will be permitted. The District will determine the need for either a berm or culvert. Installation will be at the Owner's expense. Culverts should be sized to carry the flow, not cause or divert storm water flows onto another property and is the owner's responsibility to keep serviceable.



Note: A clean cut must be made on the existing street, with no dirt between the street and driveway connection. Connection must be flush with existing asphalt.



These "driveway connection" drawings are suggested by Llano County Municipal Utility District #1 as a uniform acceptable method of connecting your driveway to the public street which it intersects.

This method is derived from the Texas Dept. of Highways & Public transportation policies and practices. If one of these methods is not used, an alternate plan MUST be approved, in writing, by the Llano County MUD # 1.

Property owners should be aware that you will be responsible for any damages to the public streets which are caused by your driveway connection. A Property Owner should be aware that he/she might be subject to personal liability for injury or damages which might be caused by construction which the Property Owner makes in the public right-of-way.

The Property Owner is further cautioned that he/she could be subject to personal liability for damages caused by the diversion of water onto private or public property caused by changes in the natural topography by his/her construction.

Owner/Contractor

Date

Llano County MUD #1 – Street Committee Director

Date